


DWARSPROFIEL 589

Hsch 1/100
Lsch 1/100
Vvlak 37m T.A.W.



DWARSPROFIEL 588

Hsch 1/100
Lsch 1/100
Wlak 37/m T.A.W.

Layer / Feature	Station	Elevation (m)
BODEMPEIL	4274	4073
SLIBODEM	4274	4079
CUMULAFSTAND	4274	2060
TUSSENAFSTAND	4274	189

DWARSPROFIEL 588

Hsch 1/100
Lsch 1/100
Wlak 37/m T.A.W.

Layer / Feature	Stationing	Elevation (m)
BODEMPEIL	4274	4255
SLIBODEM	4274	4250
CUMULAFSTAND	4274	2924
TUSSENAFSTAND	4274	507


DWARSPROFIEL 588

Hsch 1/100
Lsch 1/100
Wlak 37/m T.A.W.

Layer	Point	Elevation
BODEMPEIL	1	4.94
	2	4.90
	3	4.87
	4	4.84
	5	4.81
	6	4.78
	7	4.75
	8	4.72
	9	4.69
	10	4.66
SLIBBODEM	1	4.94
	2	4.90
	3	4.87
	4	4.84
	5	4.81
	6	4.78
	7	4.75
	8	4.72
	9	4.69
	10	4.66
CUMULAFSTAND	1	4.94
	2	4.90
	3	4.87
	4	4.84
	5	4.81
	6	4.78
	7	4.75
	8	4.72
	9	4.69
	10	4.66
TUSSENAFSTAND	1	4.94
	2	4.90
	3	4.87
	4	4.84
	5	4.81
	6	4.78
	7	4.75
	8	4.72
	9	4.69
	10	4.66

DWARSPROFIEL 590


Hsch 1/100
Lsch 1/100
Vvlak 37m T.A.W.



BODEMPEIL	42.74	42.77	42.78	42.67	42.59	42.51	42.28	42.31	42.35	42.64	42.67	42.79	42.89	42.74	42.24	41.94	41.78	41.44	41.62	41.09	41.14	41.12	41.26	41.30	41.45	41.89	41.89	41.20	42.38	42.54	4.01	5.00	5.97	6.91	7.93	9.18	11.74	14.88	16.99	19.42	20.49	21.99	24.57	
SLIBBODEM																																												
CUMULAFSTAND	-24.24	-21.67	-19.24	-16.67	-14.08	-13.99	-11.46	-9.69	-8.75	-6.98	-6.78	-5.40	-3.80	-3.33	-2.85	-2.38	-2.00	-1.44	-1.00	0.00	1.14	1.12	1.26	1.30	1.45	1.89	1.89	1.20	3.61	4.01	5.00	5.97	6.91	7.93	9.18	11.74	14.88	16.99	19.42	20.49	21.99	24.57		
TUSSENAFSTAND	257	243	257	257	259	259	253	177	0.94	177	0.9	139	159	0.47	0.48	0.47	0.38	100	100	100	100	100	100	100	100	100	0.73	0.74	0.84	0.69	0.97	0.95	102	124	257	319	212	243	106	151	258			

DWARSPROFIEL 591

Hsch 1/100
Lsch 1/100
Vlak 37m T.A.W.



Hsch 1/100
Lsch 1/100
Vvlak 37m T.A.W.

[illegible]

Hsch 1/100
Lsch 1/100
Vvlak 37m T.A.W.

Afsluiting

DWARSPROFIEL 594

Hsch 1/100
Lsch 1/100
Vlak 37m T.A.W.

